

Message

---

**From:** Rogers, Rick [rogers.rick@epa.gov]  
**Sent:** 6/17/2020 12:16:59 PM  
**To:** Pratt, Stacie [Pratt.Stacie@epa.gov]  
**Subject:** FW: Agenda questions for CRW

We will probably be able to make edits to change the alternative analysis. I'm sure Karen will be coming back with comments.

Rick Rogers, Chief  
Water Branch (3ED30)  
Enforcement and Compliance Assurance Division  
U.S. EPA Region III  
1650 Arch Street  
Philadelphia, PA 19103  
rogers.rick@epa.gov  
Office: 215.814.5711  
Cell: 215.341.4762

---

**From:** Melvin, Karen <Melvin.Karen@epa.gov>  
**Sent:** Wednesday, June 17, 2020 7:45 AM  
**To:** Rogers, Rick <rogers.rick@epa.gov>  
**Subject:** RE: Agenda questions for CRW

Rick, refresh my memory – we need to provide this to Jen, correct?

**KAREN MELVIN, DIRECTOR**  
**ENFORCEMENT AND COMPLIANCE ASSURANCE DIVISION**  
**US EPA, REGION 3**  
**1650 ARCH STREET**  
**PHILADELPHIA, PA 19103**  
**215-814-3275**

---

**From:** Rogers, Rick <rogers.rick@epa.gov>  
**Sent:** Tuesday, June 16, 2020 5:59 PM  
**To:** Melvin, Karen <Melvin.Karen@epa.gov>; Armstrong, Joan <Armstrong.Joan@epa.gov>  
**Cc:** Pratt, Stacie <Pratt.Stacie@epa.gov>; Maslowski, Steven <Maslowski.Steven@epa.gov>  
**Subject:** Agenda questions for CRW

Karen, Joan:

Here's the agenda for the CRW meeting, with specific questions to get CRW to talk. It also includes statements that identify specific issues that they need to address to get an LTCP into the approvable range. My thanks to Steve for putting this together and to Pam Lazos for her help.

Let us know if you have any questions.

Rick Rogers, Chief  
Water Branch (3ED30)

Enforcement and Compliance Assurance Division  
U.S. EPA Region III  
1650 Arch Street  
Philadelphia, PA 19103  
[rogers.rick@epa.gov](mailto:rogers.rick@epa.gov)  
Office: 215.814.5711  
Cell: 215.341.4762